



AUDIO TRUCK - UMA-3 AUDIO TECH SPECS

128 channels Rec system (48khz)

104ch stage + 08 ambience mics + LR mix + LTC

5.1 MONITORING

- 02 Neumann KH 310 (L/R)
- 03 Neumann KH 120 (C/LS/RS)
- 01 Neumann KH 810 (Sub)

CONSOLE + STAGEBOX

- 01 DiGiCo SD7 Broadcast - latest software version (Redundant system)
- 02 DiGiCo SD-Rack stagebox 56 x 40 each (112 x 80 total) – (on stage)
HMA / Madi connection

- 01 Nobreak APC 1500VU (on stage)
- 01 Passive 56ch Splitter / 03 W4 out (on stage)
- 03 Fanout 56ch W4 / XLR male (on stage)

*Note 1: Fiber connection between truck and stage (150 meters fiber)
Conexão via fibra entre UM e palco (150 metros de fibra)*

*Note 2: The truck carries only one passive 56ch splitter. If necessary one more splitter there will be an extra cost.
A UM carrega somente um splitter de 56 canais, caso seja necessário mais um splitter, haverá um custo extra.*

REC SYSTEM

- 02 Apple Mac Mini Core i5 16GB with Reaper software (Main and backup)
- 02 Digigrd MGB (Main and backup)

- 24Bits / 48Khz / WAV format

- 01 Brainstorm SR-112 Time Code Distripalyzer - generator / monitor
- 01 Apogee Big Ben

*Note: It is possible to generate and monitoring LTC timecode
É possível gerar e monitorar LTC timecode*

AMBIENCE MICs

- 08 Sennheiser ME 66 shotgun + foam
Mic claws / Stands / Clips

OUTBOARD / ANALOG / PLUG-IN / CONVERTER

- 01 SSL X-Logic G Series Stereo Bus Compressor
- 01 Lexicon PCM 81
- 01 TC Electronic M2000
- 02 Distressor Empirical Labs EL8-X
- 01 Waves SD7 Pro Show Plug-in Bundle
- 02 Waves Server One + PC Host (Main and backup)
- 01 DiGiCo Purple Box converter

INTERNAL ROUTING / GEAR

- 01 DiGiCo Nano-Rack (16 out)
- 08 Analog input
- 08 Analog output
- 04 AES / EDU in / out
- 01 RTS KP 4016 Intercom panel

EXTERNAL ROUTING / GEAR

- 12 Analog input
- 12 Analog output
- 04 AES/EBU input (08 ch)
- 04 AES/EDU output (08 ch)
- 02 Klark Teknik Square ONE Iso
- 01 XTA DS-800 Splitter / Transformer

VIDEO

- 01 50' TV 4K
- 01 BlackMagic SDI in / HDMI out converter

*Note: It is always necessary to have a video feed from video crew (SDI)
É sempre necessário recebermos imagem da equipe de vídeo (SDI)*

POWER

- 01 Internal nobreak Delta Online

Possible connections to power generator:
Possíveis conexões com o gerador:

- Cam Lock 400A
- Ring Terminal

Phase / Phase / Earth (Terra)
220V (120V Transformer) – 15 KVA

VEHICLE / TRUCK

Volkswagen Constellation 13-190

Length / Comprimento: 11 meters

Width / Largura: 2.9 meters (with stairs: 4.5 meters)

Height / Altura: 4 meters



Note: If there is any question or request, contact us.

Se tiver alguma dúvida ou solicitação, entre em contato.